

**LEGEND**

- TYPICAL SECTION NO. 1
- TYPICAL SECTION NO. 2
- REMOVE & REPLACE 4" AC
- REMOVE & REPLACE 5" AC UNDER COLD-PLANE
- REMOVE & REPLACE 6" AC
- CRACK FILL & FOG SEAL (INCLUDING EXISTING BERM BETWEEN ASTER TRAIL & MULHOLLAND HIGHWAY)
- REMOVE & REPLACE OR INSTALL CALTRANS TYPE A AC DIKE
- REMOVE & REPLACE OR INSTALL CALTRANS TYPE E AC DIKE
- MANHOLE
- WATER VALVE
- CORING LOCATION
- PRUNE & REMOVE TREE ROOTS UNDER HMA REPAIRS

**STRIPING LEGEND**

- CALTRANS STRIPING DETAIL "X"
- WHITE LIMIT LINE
- INSTALL BLUE RPM

**CONSTRUCTION NOTES**


- 1 PROTECT BRICKS AND/OR PCC IMPROVEMENTS.
- 2 PROTECT PAVERS.
- 3 PAVE FLUSH AT EXISTING PCC DRIVEWAY APPROACH/APRON.

**CANYON DRIVE**

**CORING LOG**

NO.	AC	AR	R-VALUE	FABRIC (Y/N)
C1	7"	0"	7	N
B-1	9"	0"	19	N
C2	6-3/4"	0"	---	N
B-2	6-1/2"	0"	75	N
B-3	7"	0"	75	N
B-4	6"	0"	12	N

\*CORING DATA IS FOR INFORMATION ONLY. EXISTING SECTION MAY VARY FROM SECTION(S) FOUND AT CORING LOCATION(S). FABRIC MAY BE PRESENT IN SECTIONS EVEN IF NOT FOUND AT CORING LOCATION(S).



APPROVED FOR CONSTRUCTION:

*Robert Yalda*

ROBERT YALDA, P.E.  
CITY ENGINEER/PUBLIC WORKS DIRECTOR

**REVISIONS**

No.	DESCRIPTION	REVISED BY:	APPROVED BY:	DATE

**CITY of CALABASAS**  
PUBLIC WORKS DEPARTMENT  
100 CIVIC CENTER WAY  
CALABASAS, CA 91302  
PHONE 818.224.1600  
FAX 818.225.5228  
WWW.CITYOFCALABASAS.COM

**Pavement Engineering Inc.**  
You can ride on our reputation  
Corporate Office: 3485 Sacramento Drive, Suite A  
San Luis Obispo, CA 93401  
805.781.2265

**STREET IMPROVEMENT PLANS**  
SITE PLAN - CANYON DRIVE

PROJECT LOCATION: CANYON DRIVE, MULHOLLAND HIGHWAY TO VALLEY VIEW ROAD


PREPARED FOR: City of Calabasas, 100 Civic Center Way, Calabasas, CA 91302

DESIGNED BY: JOSEPH R.  
CHECKED BY: JOSEPH R.  
DRAWN BY: KRISTIN D.

SCALE: As Noted


SHEET NO. 2 of 6






NOTES:  
1. WIDTH OF ROAD VARIES.

**TYPICAL SECTION NO. 1**  
NTS




NOTES:  
1. WIDTH OF ROAD VARIES.

**TYPICAL SECTION NO. 2**  
NTS




NOTE NO. 1:  
RECOMPACT LOOSENEED MATERIAL AT SURFACE. IF CONTRACTOR DISTURBS MORE THAN 1-1/2" OF MATERIAL, SUBGRADE SHALL BE RECONDITIONED & RECOMPACTED TO 95% R.C.

**REMOVE & REPLACE 4" AC DETAIL**  
NTS



NOTE NO. 1:  
RECOMPACT LOOSENEED MATERIAL AT SURFACE. IF CONTRACTOR DISTURBS MORE THAN 1-1/2" OF MATERIAL, SUBGRADE SHALL BE RECONDITIONED & RECOMPACTED TO 95% R.C.

**REMOVE & REPLACE 5" AC UNDER COLD-PLANE DETAIL**  
NTS



NOTE NO. 1:  
RECOMPACT LOOSENEED MATERIAL AT SURFACE. IF CONTRACTOR DISTURBS MORE THAN 1-1/2" OF MATERIAL, SUBGRADE SHALL BE RECONDITIONED & RECOMPACTED TO 95% R.C.

**REMOVE & REPLACE 6" AC DETAIL**  
NTS



DIAL TOLL FREE  
1-800-422-4133  
AT LEAST TWO DAYS  
BEFORE YOU DIG  
UNDERGROUND SERVICE ALERT (USA)  
OF SOUTHERN CALIFORNIA



APPROVED FOR CONSTRUCTION:

*Robert Valda*  
ROBERT VALDA, P.E.  
CITY ENGINEER/PUBLIC WORKS DIRECTOR

REVISIONS				
No.	DESCRIPTION	REVISED BY:	APPROVED BY:	DATE

**CITY of CALABASAS**  
PUBLIC WORKS DEPARTMENT  
100 CIVIC CENTER WAY  
CALABASAS, CA 91302  
PHONE: 818.224.1600  
FAX: 818.225.1238  
WWW.CITYOFCALABASAS.COM

**Pavement Engineering Inc.**  
You can ride on our reputation  
Corporate Office: 3485 Sacramento Drive, Suite A  
San Luis Obispo, CA 93401  
805.781.2265

**STREET IMPROVEMENT PLANS**  
ENLARGEMENTS AND DETAILS - CANYON DRIVE

PROJECT LOCATION: CANYON DRIVE, MULHOLLAND HIGHWAY TO VALLEY VIEW ROAD

DESIGNED BY: JOSEPH R.  
CHECKED BY: JOSEPH R.  
DRAWN BY: KRISTIN D.

PREPARED FOR: City of Calabasas, 100 Civic Center Way, Calabasas, CA 91302

SCALE: As Noted

SHEET NO. 3 of 6




# CITY of CALABASAS

## STREET IMPROVEMENT ADD-ON PLANS TO CANYON DRIVE - MULHOLLAND HIGHWAY TO VALLEY VIEW ROAD


### STREET IMPROVEMENT PLANS GENERAL NOTES

SEE SHEET 1 - COVER SHEET FOR STREET IMPROVEMENT PLANS GENERAL NOTES



VICINITY MAP

N.T.S.



LOCATION MAP

N.T.S.

#### CAUTION: UNDERGROUND STRUCTURES

ALL UNDERGROUND UTILITIES OR STRUCTURES REPORTED BY THE OWNER OR THOSE SHOWN ON RECORDS EXAMINED ARE INDICATED WITH THEIR APPROXIMATE LOCATION AND EXTENT. THE DEVELOPER, BY ACCEPTING THESE PLANS OR PROCEEDING WITH IMPROVEMENTS PURSUANT THERETO, UNDERSTANDS THAT THEY AGREE TO ASSUME LIABILITY, AND AGREE TO HOLD THE UNDERSIGNED HARMLESS FOR ANY LIABILITY FOR DAMAGE RESULTING FROM THE EXISTENCE OF UNDERGROUND UTILITIES OR STRUCTURES NOT REPORTED TO THE UNDERSIGNED, NOT INDICATED ON THE PUBLIC RECORDS EXAMINED, LOCATED AT VARIANCE WITH THAT REPORTED OR SHOWN ON RECORDS EXAMINED. THE CONTRACTOR IS REQUIRED TO TAKE DUE PRECAUTIONARY MEASURES TO PROTECT THE UTILITIES OR STRUCTURES FOUND AT THE SITE. IT SHALL BE THE CONTRACTORS RESPONSIBILITY TO NOTIFY THE OWNERS OF THE UTILITIES OR STRUCTURES CONCERNED BEFORE PROCEEDING WITH WORK.



APPROVED FOR CONSTRUCTION:

*Robert Valda*

ROBERT VALDA, P.E.  
CITY ENGINEER/PUBLIC WORKS DIRECTOR

DATE

REVISIONS				
No.	DESCRIPTION	REVISED BY:	APPROVED BY:	DATE

I HEREBY CERTIFY THAT THE WORK SHOWN ON DRAWING No. \_\_\_\_\_ SHEET No. \_\_\_\_\_ THROUGH \_\_\_\_\_ MARKED AS "RECORD DRAWING" HAS BEEN CONSTRUCTED IN CONFORMANCE WITH LINES AND GRADES AS SHOWN ON SAID PLANS, DRAWINGS, REFERENCED SPECIFICATIONS, AND APPROVED CHANGE ORDERS, AS INDICATED IN THE REVISION BLOCK.

SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

NAME \_\_\_\_\_ INSPECTOR \_\_\_\_\_

I HEREBY CERTIFY THAT THE WORK SHOWN HEREON, MARKED AS "AS-BUILT", HAS BEEN CONSTRUCTED IN CONFORMANCE WITH LINES AND GRADES AS SHOWN ON SAID PLANS, DRAWINGS, REFERENCED SPECIFICATIONS, AND APPROVED CHANGE ORDERS, AS INDICATED IN THE REVISION BLOCK.

PROJECT ENGINEER'S SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

PROJECT ENGINEER'S NAME \_\_\_\_\_ CITY LAND DEVELOPMENT REP. \_\_\_\_\_

**City of Calabasas**  
PUBLIC WORKS DEPARTMENT  
200 CIVIC CENTER WAY  
CALABASAS, CA 91302  
PHONE: (818) 892-7300  
FAX: (818) 892-7300  
WWW.CITYOF-CALABASAS.COM

STREET RESURFACING ADD-ON PLANS  
CITY ADD-ON - COVER

PROJECT LOCATION: JAMESON DR. AND HARNEY PLACE, CALABASAS, CA


PREPARED FOR:  
City of Calabasas  
100 Civic Center Way,  
Calabasas, CA 91302

DESIGNED BY: B.S. \_\_\_\_\_  
CHECKED BY: B.C. \_\_\_\_\_  
DRAWN BY: B.S. \_\_\_\_\_

SCALE: N.T.S.

SHEET NO.: 4 of 6

F:\Users\PALENGR\PROJECTS\CURRENT\2016 STREET RESURFACING\ENGINEERING\PRE-CONSTRUCTION\DESIGN\Resurfacing\_2016\_for\_Compound.dwg - PLOTTED: 2/29/16 - 12:50pm bspgwr



**DEMOLITION NOTES**


- ① PROTECT EXISTING UTILITY COVER IN PLACE.
- ② 2-3/4" COLD PLANE OF A.C. PAVEMENT - FULL WIDTH (SEE DETAIL "A")

**LEGEND**

- 2-3/4" COLD PLANE A.C. PAVEMENT (SEE DETAIL "A")
- PROTECT EXISTING CATCH BASIN.
- EXISTING DRIVEWAY - PROVIDE ACCESS.
- PROTECT EXISTING UTILITY COVER IN PLACE.
- PROTECT EXISTING UTILITY COVER IN PLACE.

**GENERAL NOTES**

1. UTILITY COVERS ARE TO BE FIELD VERIFIED FOR LOCATION AND QUANTITY.
2. ALL UTILITY COVERS ARE TO BE PROTECTED IN PLACE. ADJUST UTILITY COVER TO GRADE IF NEEDED TO PROVIDE A SMOOTH SURFACE.
3. TACK COAT SHALL BE APPLIED TO EXISTING SURFACE TO ENSURE PROPER BOND BETWEEN EXISTING AND NEW ASPH.
4. JOIN LINES SHALL BE AT END OF CURB RETURNS OR APPROVED BY CITY ENGINEER.
5. VEHICULAR, PEDESTRIAN AND BICYCLE ACCESS SHALL BE PROVIDED.



APPROVED FOR CONSTRUCTION:

*Robert Valda*

ROBERT VALDA, P.E.  
CITY ENGINEER/PUBLIC WORKS DIRECTOR

DATE \_\_\_\_\_

REVISIONS				
No.	DESCRIPTION	REVISED BY	APPROVED BY	DATE

**RECORD DRAWING**

I HEREBY CERTIFY THAT THE WORK SHOWN ON DRAWING No. \_\_\_\_\_ SHEET No. \_\_\_\_\_ MARKED AS "RECORD DRAWING" HAS BEEN CONSTRUCTED IN CONFORMANCE WITH LINES AND GRADES AS SHOWN ON SAID PLANS, DRAWINGS, REFERENCED SPECIFICATIONS, AND APPROVED CHANGE ORDERS, AS INDICATED IN THE REVISION BLOCK.

SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

NAME \_\_\_\_\_ INSPECTOR \_\_\_\_\_

**AS-BUILT DRAWING**

I HEREBY CERTIFY THAT THE WORK SHOWN HEREON, MARKED AS "AS-BUILT", HAS BEEN CONSTRUCTED IN CONFORMANCE WITH LINES AND GRADES AS SHOWN ON SAID PLANS, DRAWINGS, REFERENCED SPECIFICATIONS, AND APPROVED CHANGE ORDERS, AS INDICATED IN THE REVISION BLOCK.

PROJECT ENGINEER'S SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

PROJECT ENGINEER'S NAME \_\_\_\_\_ CITY LAND DEVELOPMENT REP. \_\_\_\_\_

**City of CALABASAS**  
PUBLIC WORKS DEPARTMENT

200 CIVIC CENTER WAY  
CALABASAS, CA 91302  
TEL: 818.252.7300  
FAX: 818.252.7300  
WWW.CITYOF-CALABASAS.COM

**STREET IMPROVEMENT ADD-ON PLANS**  
CITY ADD-ON - DEMOLITION

**PROJECT LOCATION** JAMESON DR. AND HARNEY PLACE, CALABASAS, CA


PREPARED FOR:  
City of Calabasas  
100 Civic Center Way,  
Calabasas, CA 91302

DESIGNED BY: B.S. \_\_\_\_\_  
CHECKED BY: B.C. \_\_\_\_\_  
DRAWN BY: B.S. \_\_\_\_\_

SCALE: 1" = 20'

SHEET NO.: 5 of 6


F:\Users\PAWENGA\PROJECTS\CURRENT\2016 STREET RESURFACING\ENGINEERING\PRE-CONSTRUCTION\DESIGN\Resurfacing\_2016\_Prc\_Construction\_Plot02b-2/26/16 - 12:51pm bspgure



- CONSTRUCTION NOTES**
- 1 PROTECT EXISTING UTILITY COVER IN PLACE.
  - 2 2" A.R.H.M. OVERLAY AND 3" LEVELING COURSE (SEE DETAIL "A")
  - 3 INSTALL 12" LIMIT LINE, WHITE - 2 COATS
  - 4 INSTALL "STOP" MARKING, WHITE - 2 COATS

- LEGEND**
- 2" A.R.H.M. OVERLAY AND 3" LEVELING COURSE (SEE DETAIL "A")
  - PROTECT EXISTING CATCH BASIN.
  - EXISTING DRIVEWAY - PROVIDE ACCESS.
  - PROTECT EXISTING UTILITY COVER IN PLACE.
  - PROTECT EXISTING UTILITY COVER IN PLACE.

- GENERAL NOTES**
1. UTILITY COVERS ARE TO BE FIELD VERIFIED FOR LOCATION AND QUANTITY.
  2. ALL UTILITY COVERS ARE TO BE PROTECTED IN PLACE; ADJUST UTILITY COVER TO GRADE IF NEEDED TO PROVIDE A SMOOTH SURFACE.
  3. TACK COAT SHALL BE APPLIED TO EXISTING SURFACE TO ENSURE PROPER BOND BETWEEN EXISTING AND NEW ARHM.
  4. JOIN LINES SHALL BE AT END OF CURB RETURNS OR APPROVED BY CITY ENGINEER.
  5. VEHICULAR, PEDESTRIAN AND BICYCLE ACCESS SHALL BE PROVIDED.



APPROVED FOR CONSTRUCTION:

*Robert Valda*

ROBERT VALDA, P.E.  
CITY ENGINEER/PUBLIC WORKS DIRECTOR

REVISIONS				
No.	DESCRIPTION	REVISED BY:	APPROVED BY:	DATE

RECORD DRAWING

I HEREBY CERTIFY THAT THE WORK SHOWN ON DRAWING No. \_\_\_\_\_ SHEET No. \_\_\_\_\_ MARKED AS "RECORD DRAWING" HAS BEEN CONSTRUCTED IN CONFORMANCE WITH LINES AND GRADES AS SHOWN ON SAID PLANS, DRAWINGS, REFERENCED SPECIFICATIONS, AND APPROVED CHANGE ORDERS, AS INDICATED IN THE REVISION BLOCK.

SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

NAME \_\_\_\_\_ INSPECTOR

AS-BUILT DRAWING

I HEREBY CERTIFY THAT THE WORK SHOWN HEREON, MARKED AS "AS-BUILT", HAS BEEN CONSTRUCTED IN CONFORMANCE WITH LINES AND GRADES AS SHOWN ON SAID PLANS, DRAWINGS, REFERENCED SPECIFICATIONS, AND APPROVED CHANGE ORDERS, AS INDICATED IN THE REVISION BLOCK.

PROJECT ENGINEER'S SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

PROJECT ENGINEER'S NAME \_\_\_\_\_ CITY LAND DEVELOPMENT REP.

**City of CALABASAS**  
PUBLIC WORKS DEPARTMENT

200 CIVIC CENTER WAY  
CALABASAS, CA 91302  
TEL: 818.252.7300  
FAX: 818.252.7308  
WWW.CITYOFCALABASAS.COM

STREET IMPROVEMENT ADD-ON PLANS  
CITY ADD-ON - CONSTRUCTION

PROJECT LOCATION JAMESON DR. AND HARNEY PLACE, CALABASAS, CA

PREPARED FOR:  
City of Calabasas  
100 Civic Center Way,  
Calabasas, CA 91302

DESIGNED BY: B.S. \_\_\_\_\_  
CHECKED BY: B.C. \_\_\_\_\_  
DRAWN BY: B.S. \_\_\_\_\_

SCALE: 1" = 20'

SHEET NO.: 6 of 6