

CITY of CALABASAS

2030 General Plan

VII. SAFETY ELEMENT

The Safety Element is concerned with identifying and, whenever possible, reducing the impact of natural and man-made hazards that may threaten the health, safety, and property of Calabasas residents, business owners, and visitors. The element emphasizes hazards reduction and accident prevention for known hazards and potential disasters. In addition, the element emphasizes the importance of reducing risk and the effects of disaster prevention and/or preparedness.

The Safety Element establishes mechanisms to reduce death, injuries, property damage and the economic and social dislocation resulting from hazards such as fires, floods, earthquakes, landslides, and other hazards. Hazards are an unavoidable aspect of life, and the Safety Element cannot eliminate risk completely. Instead, the Element contains policies to minimize the level of risk. Additional information, including hazard profiles, previous occurrences, potential loss estimates, and mitigation strategies can be found in the Las Virgenes-Malibu Council of Governments Multi-Jurisdictional Hazard Mitigation Plan, of which the City is a participating jurisdiction.

Numerous potential hazards that could affect life and property are present in and around Calabasas. Safety hazards can be ~~generally grouped~~ grouped into two categories: ~~naturally-occurring~~ naturally occurring and man-made. Some hazards – flooding, for example – can be categorized as both naturally-occurring and man-made. Flooding could occur naturally ~~as a result of~~ because of intense precipitation in a short duration which causes rivers, natural drainage courses, or low-lying areas to overflow affecting surrounding properties. Man-made flooding could occur as a result of failure of a dam, obstruction of a natural drainage course, to a fire hydrant being broken in an automobile accident. In accordance with Senate Bill 379 Government Code Section 65302, this safety element also includes a climate change vulnerability assessment and measures to address vulnerabilities in the section titled *Climate Change*.

Issues covered in this Safety Element include:

- *Geology and Seismicity*
- *Stormwater Management and Flooding*
- *Fire Hazards*
- *Radio Gas*
- *Hazardous Materials*
- *Disaster Response*
- *Climate Change*



VII. SAFETY ELEMENT

Included as a technical appendix to the Safety Element are detailed analyses regarding wildfire risk and emergency evacuation. *See Appendix D Safety Element Appendices.*

VII.A Geology and Seismicity

Objective

Minimize the potential for loss of life, physical injury, property damage, and social disruption resulting from seismic ground shaking and other geologic events.

The Seismic Hazards Mapping Act, a California law passed in 1990, requires the State Geologist to identify and map zones prone to seismically induced liquefaction, ground-shaking, ~~landslides~~landslides, and other forms of ground failure resulting from earthquakes.

General Plan Approach

Like all of Southern California, Calabasas is subject to substantial seismic hazards. These seismic hazards can affect the structural integrity of buildings and utilities, and, in turn, cause property damage and potential loss of life. Although it is not possible to prevent earthquakes, their destructive effects can be minimized through comprehensive hazard-mitigation programs and efforts. The potential for a major earthquake that may result in loss of life, injury, or displacement of many thousands of persons is present throughout Southern California. The precise time of such an event cannot be accurately predicted.

Calabasas is not located within an Alquist-Priolo Fault-Rupture Hazard Zone (California Geological Survey, 1999). However, 25 active and potentially active faults are located within 25 miles of the City. A partial list of these faults includes:

- *Malibu Coast*
- *Anacapa Dume*
- *Santa Monica*
- *Palos Verdes*
- *Northridge*
- *Hollywood*
- *Simi-Santa Rosa*
- *Santa Susana*
- *Sierra Madre*
- *Newport-Inglewood*
- *Sierra Madre (San Fernando)*
- *Oakridge (onshore)*
- *Verdugo*
- *Holser*
- *San Gabriel*
- *Compton Thrust*
- *San Cayetano*
- *San Andreas*



VII. SAFETY ELEMENT

Figure VII-1 depicts regional faults that could create severe groundshakingground shaking in Calabasas, according to USGS 2020 data. Although the San Andreas fault is located around 60 miles northeast of Calabasas, it is considered a “master fault” because it is the boundary between the Pacific and North American geology plates. In the event of a 7.8 magnitude San Andreas Eearthquake, in addition to widespread property damage, power outages, displacement, and loss of life, southern California’s aqueducts would incur significant damage and restoration of water flow to the region would take around 4 to 18 months (Davis, Craig, and Thomas O’Rourke 2011).

Although no known faults are located within Calabasas, known the aforementioned fault systems could cause property damage, possibly resultingresulting in injury and loss of life in the

event of a major earthquake due to ground motion. The level of impact resulting from any seismic activity will depend on factors such as: distance from epicenter, earthquake magnitude, and characteristics of soils and subsurface geology. **Figure VII-2** depicts the seismic hazard zones delineated by the California Department of Conservation (2021).

The City-will requires building design to be commensurate with the expected level of groundshaking in a major earthquake, based on site-specific soils and geologic conditions, as well as on the level of risk associated with potential damage to the building. Thus, high occupancy buildings and buildings that serve needed disaster recovery functions need to be designed

The California Building Code (CBC) is the regulatory environment for design and construction of building codes and standards covering local, state, federal, land use and environmental regulations which are developed specifically for the purpose of regulating the life-safety, healthhealth, and welfare of the public.

to withstand a greater degree of groundshaking than low occupancy, low risk buildings. For all buildings, once environmental protection policies are met, construction techniques will be regulated according to the latest edition of the California Building Code (CBC) with City of Calabasas amendments or increased requirements as necessary to reduce geologic and seismic risks to acceptable levels.


According to the California Department of Conservation (2021), pPortions of Calabasas may be susceptible to liquefaction (see **Figure VII-2**). Liquefaction results when water-saturated, sandy unstable soils are subject to intense shaking, such as that caused by an earthquake. These soils lose cohesiveness, causing unreinforced structures to fail.



VII. SAFETY ELEMENT

Figure VII-1-Updated

2030 General Plan
Safety Element Update



City of Calabasas
Quaternary Fault Line




Figure VII-1
Regional Earthquake Faults

CITY OF CALABASAS

Source: City of Calabasas, 2018, USGS 2020, and Rincon Consultants, 2021. Updated August 2021. Basemap provided by ESRI and its licensors © 2021.



VII. SAFETY ELEMENT

Figure VII-2




Figure VII-2

CITY of CALABASAS



VII. SAFETY ELEMENT

Liquefaction can cause damage to residential, commercial, and industrial buildings as well as infrastructure including roads, bridges, and pipelines. The primary factors for increased liquefaction susceptibility include areas subject to high seismicity, shallow groundwater, and young, poorly consolidated sandy alluvium. When this type of sandy alluvium is present, liquefaction susceptibility is ~~generally considered~~considered high if groundwater depth is less than ten feet beneath the ground surface, moderate if ground water depth is between ten and thirty feet, and low if groundwater is between thirty and fifty feet deep. Liquefaction usually is not considered a significant hazard if the groundwater table is more than 50 feet below the ground surface level.

The topography within Calabasas varies and features vertical slopes and steep canyons. The major environmental factors controlling stability of the steeper hillsides include precipitation, topography, geology, soils, vegetation, and man-made alterations of the natural topography. Development on hillside areas where steep slopes are present can increase rates of erosion and exacerbate landslide hazards that may threaten structures. However, methods contained within the CBC reduce negative impacts associated with development on slopes.

Although it is not possible to eliminate all the risks associated with seismic related hazards, it is the intent of the Safety Element to use available tools, such as geotechnical studies, appropriate land-use ~~decisions~~decisions, and adequate building codes to reduce risks.

Policies

- VII-1** Incorporate adequate mitigation measures into proposed development projects to achieve an acceptable level of risk from potential seismic hazards resulting from ground motion or fault rupture. Figure VII-1 depicts regional faults that could create severe ground shaking in Calabasas.
- VII-2** Emphasize prevention of physical and economic loss associated with earthquakes and other geologic disasters through early identification of potentially hazardous conditions prior to project approval.
- VII-3** Facilitate rapid physical and economic recovery following an earthquake, geologic ~~disaster~~disaster, or wildland fire through early investigation of the event and implementation of effective new standards for design of structures.
- VII-4** Incorporate the analysis and mitigation of seismic risks into the analysis and design of water supply infrastructure.



VII. SAFETY ELEMENT

- VII-45** Discourage development within potential landslide areas and areas with severe soils limitations as the City's preferred management strategy, and as a higher priority than attempting to implement engineering solutions.
- VII-6** Where engineering solutions to slope stability constraints are required, implement landform grading programs ~~so as to~~ recreate a natural hillside appearance.
- VII-7** Include projected climate change impacts of slope stability changes after wildfires and develop mitigation strategies for new areas deemed at risk to slope instability.
- VII-68** Prior to approval of development projects within the liquefaction or landslide hazard zones depicted on Figure VII-2 or other areas identified by the City Engineer as having significant liquefaction or landslide hazards, require applicants to prepare site-specific liquefaction and/or landslide studies and mitigation. Such studies shall be subject to review and approval by the City Engineer.
- VII-9** Work cooperatively with the Las Virgenes Municipal Water District to ensure that water supplies are not interrupted by seismic events such as surface rupture, ground shaking, ground failure, tsunami, seiche, or dam failure.

VII.B Stormwater Management and Flooding

Objective

Minimize the potential for loss of life, physical injury, property damage, and social disruption resulting from flooding.

General Plan Approach

Flooding is the inundation of normally dry land as a result of ~~because of~~ a rise in the level of surface waters or the rapid accumulation of storm-water runoff; it becomes a hazard when the flow of water has the potential to damage property and threaten human life or health. Flood risks are greatest, and flood hazards most severe, in winter, when water bodies are usually

A 100-year flood is calculated to be the level of flood water equaled or exceeded at least once in a 100-year period. The 100-year flood is more accurately referred to as the 1% flood, since it is the event that has a 1% chance of being equaled or exceeded in any single year.



VII. SAFETY ELEMENT

full and soils saturated. Flooding is primarily a natural process and, therefore, difficult to prevent. However, land use and development decisions have a significant effect on the frequency and severity of floods; in general, urbanization increases the risk of flooding by increasing stormwater runoff and, to a lesser extent, erosion. Flooding is often a regional problem that crosses multiple jurisdictional boundaries.

Figure VII-3 depicts the Federal Emergency Management Agency (FEMA) flood zones in Calabasas using FEMA data from 2008 and 2016. A small portion of western Calabasas is within the 100-year floodplain; however, ~~the majority of~~ most of the City is not located within any designated flood zones.

Calabasas will facilitate efforts with local, state, and federal agencies, including special districts, to address flooding issues. Development will generally be discouraged in flood-prone areas and individual developers in the City will be required to mitigate their potential contributions to downstream flooding problems.

Policies


- VII-710** Incorporate adequate mitigation measures into proposed development projects to achieve an acceptable level of risk from potential flooding hazards. Mitigation measures should also address projected flooding impacts from climate change.
- VII-811** Discourage development within flood hazard areas and encourage retention of natural drainage as the City's preferred management strategy, and as a higher priority than attempting to implement engineering solutions.
- VII-912** Ensure that new flood control and drainage facilities as well as improvements to existing facilities are consistent with the General Plan's environmental protection standards.
- VII-1013** For discretionary development projects, limit new impervious surfaces to those that will not individually or cumulatively increase harmful runoff into natural stream channels downstream.
- VII-1114** Setbacks from stream beds should be sufficient to avoid possible adverse effects associated with future stream bank erosion.
- VII-15** ~~_____~~ Whenever feasible, locate essential public facilities, including health care facilities, emergency shelters, fire stations, emergency command centers, and emergency communications facilities, outside flood hazard zones.



VII. SAFETY ELEMENT

Figure VII-3 – UPDATED

2030 General Plan
Safety Element Update



- Plan Area
- Calabasas City Limit
- Stream
- FEMA Flood Hazard Zone**
- 1% Annual Chance Flood Hazard (100 yr Flood Zone)
- 0.2% Annual Chance Flood Hazard (500 yr Flood Zone)




Figure VII-3
FEMA Flood Hazard Zones

CITY of CALABASAS

Source: City of Calabasas, 2018, FEMA 2008 FIRM Panel No. 06037C1269F, No. 06037C1266F, No. 06037C1267F, No. 06037C1268F, No. 06037C1531F, No. 06037C1262F, FEMA 2016 FIRM Panel No. 06037C1264G, No. 06037C1527G, and Rincon Consultants, 2021. Updated February 2022. Basemap provided by ESRI and its licensors © 2022.



VII. SAFETY ELEMENT

VII.C Fire Hazards

Objective

Minimize the potential for loss of life, physical injury, property damage, and social disruption resulting from urban and wildland fires.

General Plan Approach

Fire is a unique hazard in that it can result both from natural processes and from the intentional or accidental actions of people. There are three main types of fire hazards: (1) wildfires, which affect open space and development on the urban fringe; (2) structural fires, which occur in buildings; and (3) industrial fires, which generally result from the ignition of flammable materials. While fires are not entirely preventable, it is possible to create conditions that reduce the chances of fire and that facilitate efficient response in case fire breaks out. When a fire does ignite, quick response from firefighters and an adequate supply of water are essential in minimizing damage.

General factors that affect an area's risk from fire hazards include its location, land uses, distance from fire stations, ease of accessibility by fire-fighting equipment and personnel, and adequacy of water supply. More specifically, the extent and severity of damage by fires are determined by several key factors affecting vulnerability. All areas within All of Calabasas' city limits isare designated as a very high fire hazard severity zone, according to CAL FIRE 2020 data (see Figure VII-4). There are several critical facilities located within the City of Calabasas and within the very high fire hazard severity zones, as shown on Figure VII-4. Critical facilities are structures and institutions necessary for a community's response to and recovery from emergencies. Critical facilities must continue to operate during and following a disaster to reduce the severity of impacts and accelerate recovery. Critical facilities are identified in the Las Virgenes-Malibu Council of Governments Multi-Jurisdictional Hazard Mitigation Plan, and include schools, emergency services, natural gas and oil pipelines, banking and finance institutions, commercial facilities, the 101 Freeway, and water district headquarters. In addition to the critical facilities shown on Figure VII-4, the Agoura Hills/Calabasas Community Center may serve as a critical facility once repairs have been completed and it is reopened.- Fire services are provided to residents through contract with the Los Angeles County Fire Department (LACFD). The City receives fire protection and paramedic services as well as wildland fire protection and forestry tree service. No areas in Calabasas have been identified as lacking emergency service. Historical fires in or near Calabasas are mapped below in Figures VII-5, VII-6, and VII-7 using CAL FIRE data. Fires have impacted the western half of the city with the most recent fire occurring in



VII. SAFETY ELEMENT

2018. The 2018 Woolsey Fire extended into the western half of the City damaging properties, vegetation, and habitat, and triggered a city-wide emergency evacuation.

The Las Virgenes-Malibu COG is in Division VII - Central Region of the LACFD's Regional Plan Divisions. Battalions 1 and 5 of the Los Angeles County Fire Department are assigned to directly serve the Region. Fire Stations #68 and #125 are within the City's boundary, located on Calabasas Road and Las Virgenes Road, respectively. Several others are nearby, including Fire Stations #67 and #69, which are located south of the City.

Measures in the CBC reduce fire hazards in structures. These include use of specific building construction materials, fire separation walls, building separation, and use of fire sprinklers. Included in development regulations are requirements for minimum road widths that provide adequate access for firefighting equipment and evacuation of residents, as well as clearance around structures (fuel modification areas) to prevent the rapid spread of fire.


Water availability and peak load water supply are essential in combating wildfires. Peak load water supply refers to the sum total of water required for fire flow, operational daily consumption, and emergency storage. As development occurs, peak load water supply reserves will need to be increased. Since increasing demands on groundwater basins can create deficiencies in local water supplies, it will be necessary for Calabasas to obtain additional water in the future from sources such as the State Water Project to ensure that peak load water supply demands are met. The Pure Water Project proposed by the Las Virgenes Municipal Water District (LVMWD) and Las Virgenes-Triunfo Joint Powers Authority (JPA) will increase local water resource reliability by treating surplus water that is currently discharged to Malibu Creek from the Tapia Water Reclamation Facility. The treated water will be added to imported water stored at the Las Virgenes Reservoir, and distributed for residential consumption following additional treatment at the Westlake Filtration Plant. Pure Water Project, once in operation, will contribute to increased local water supplies.



VII. SAFETY ELEMENT

Figure VII-4 -- Very High Fire Hazard Severity Zone and Critical Facilities - NEW

2030 General Plan
Safety Element Update



Source: City of Calabasas, 2018, CalFire 2020, and Rincon Consultants, 2022. Updated February 2022. Basemap provided by ESRI and its licensors © 2022.

- Plan Area
 - Calabasas City Limit
 - Local Responsibility Area**
 - Very High Severity Zone
 - State Responsibility Area**
 - Moderate Severity Zone
 - High Severity Zone
 - Very High Severity Zone
 - Federal Responsibility Area**
 - Underdetermined Severity Zone
 - Critical Facilities**
 - Critical Facilities
 - LA County Fire Department
 - LA County Sheriff
 - School
- 1 - Calabasas Civic Center
 - 2 - Creekside Village
 - 3 - The Commons at Calabasas
 - 4 - Parkway Calabasas
 - 5 - The Summit at Calabasas
 - 6 - Hilton Garden Inn Calabasas
 - 7 - The Anza A Calabasas Hotel
 - 8 - Regal Edwards Calabasas
 - 9 - LA County Fire Dept. Station 68
 - 10 - LA County Fire Dept. Station 125
 - 11 - LA County Sheriff
 - 12 - Calabasas City Hall
 - 13 - Calabasas Library
 - 14 - Las Virgenes Municipal Water District




Figure VII-4
Very High Fire Hazard Severity Zone
and Critical Facilities


CITY of CALABASAS



VII. SAFETY ELEMENT

FiFigure VII-45 -- Historic Fire Perimeters (1900-1959)-NEW

2030 General Plan
Safety Element Update



Source: City of Calabasas, 2018, and Rincon Consultants, 2022. Fire Perimeter provided by Cal Fire, 2022. Updated February 2022. Basemap provided by ESRI and its licensors © 2022.

- Calabasas City Limit
- Plan Area
- Historic Fire Perimeters (1900-1959)

Note: Fires that occurred during this time period preceded the majority of development within Calabasas.




Figure VII-5
Historic Fire Perimeters 1900-1959


CITY OF CALABASAS



VII. SAFETY ELEMENT

Figure VII-61 Historic Fire Perimeters 1960-1999-

2030 General Plan
Safety Element Update



Source: City of Calabasas, 2018, and Rincon Consultants, 2022. Fire Perimeter provided by Cal Fire, 2022. Updated February 2022. Basemap provided by ESRI and its licensors © 2022.

- Plan Area
- Calabasas City Limit
- Historic Fire Perimeters 1960-1999

Note: Although the geographic extent of the historic fire perimeters includes developed areas within the City of Calabasas, the majority of properties were neither destroyed nor damaged.




Figure VII-6
Historic Fire Perimeters 1960-1999


CITY of CALABASAS

NEW



Figure VII-72 Historic Fire Perimeters 2000-2021-NEW

2030 General Plan
Safety Element Update



Note: Although the geographic extent of the historic fire perimeters includes developed areas within the City of Calabasas, the majority of properties were neither destroyed nor damaged.



Figure VII-7
Historic Fire Perimeters 2000-2021

CITY OF CALABASAS



VII. SAFETY ELEMENT

Policies

- ~~VII-12 Emphasize prevention of physical and economic loss associated with wildland fire through early identification of potentially hazardous conditions prior to project approval.~~
- ~~VII-13 Promote fire prevention as the City's preferred management strategy; facilitate programs that are aimed at the prevention of fires.~~
- ~~VII-14 Discourage development and encourage sensitive siting of structures within hazardous fire areas as higher priorities than attempting to implement fuel modification techniques that would adversely affect significant biological resources.~~
- ~~VII-15 Require design and siting of new development within areas subject to wildfires in a manner that minimizes the threat of loss from wildland fire.~~
- ~~VII-16 Ensure that new development is designed so as to facilitate access by firefighting equipment and to maintain adequate evacuation routes.~~
- ~~VII-17 Do not permit development within areas that do not have adequate water pressure or fire flows until sufficient pressure and fire flows can be reliably provided.~~
- VII-16 Actively collaborate with regional, state and Federal fire agencies to coordinate and implement wildfire mitigation measures and fuel load modifications / reduction zones, including load clearing, prescribed burns, fire breaks, livestock grazing, and public and private road clearance and other mitigation activities for areas proximal to the city, particularly potential wildfire approach pathways located to the south of the city as identified in Figure 8 of Appendix D-1. Establish cooperative management agreements with entities that have jurisdiction over lands located to the south of the city limits.
- VII-17 Survey the conditions in the wildfire approach pathways located within city limits as identified in Figure 8 of Appendix D-1 in collaboration with the Los Angeles County Fire Department to assess vegetation management actions that could reduce wildfire movement.
- VII-18 Actively engage with the County of Los Angeles and the Santa Monica Mountains Conservancy as part of wildfire planning and implementation initiatives, including those related to the Los Angeles County Fire Department Strategic Plan and the Los Angeles County Integrated Wildfire Safety Program.



VII. SAFETY ELEMENT

- VII-19 Coordinate with LACFD to include Calabasas in development and maintenance of a County Wildfire Protection Plan, and Plan and investigate the possibility of preparing a plan component specific to the Calabasas community.
- VII-20 Develop and maintain a GIS-based land inventory to identify fuel reduction status and points of contact in order to inform load reduction activities.
- VII-21 Incorporate wildfire risk reduction measures, including healthy hillside management, load clearing, and brush management into plans, operations, and maintenance procedures for public access roads, parks, trails, open space, critical roads, and critical infrastructure.
- VII-22 Conduct a City-wide survey of vegetation conditions in drainage corridors, hillsides, and similarly well vegetated areas that could provide opportunities for wildfire to approach valued assets, and specify recommended actions to reduce wildfire risks in these locations.
- VII-23 Minimize risks to existing development by identifying existing non-conforming development to contemporary fire safe standards, in terms of road standards and vegetative hazard, and requiring all new development to meet or exceed California Code of Regulations, division 1.5, chapter 7, subchapter 2, articles 1-5 requirements (State Responsibility Area Fire Safe Regulations).
- VII-24 Encourage existing businesses and residents to adopt drought tolerant and fire-resistant landscaping practices.
- VII-25 Support Los Angeles County's Defensible Space Inspection Program that enforces defensible space standards of existing development in Calabasas by posting informational resources on the City's website and distributing via social media platforms.
- VII-26 Develop and disseminate education and outreach materials to homeowners, residents, businesses, and landlords regarding retrofits and hardening that align with recommendations from CAL Fire's Wildfire Home Retrofit Guide. Identify resources that can provide financial support for home retrofit and home hardening projects.
- VII-27 Develop and regularly update building and landscaping requirements and protocols that integrate CAL FIRE and LACFD regulations and procedures for retrofits and future development. Update the Calabasas Municipal Code with incentives for home retrofits.
- VII-28 Update landscaping requirements and guidelines regarding landscape design, species preferences, installation, and maintenance to reduce vulnerability to ember ignition, and, wildfire impacts.



VII. SAFETY ELEMENT

- VII-29 To reduce vulnerability of structures to ember ignition and wildfire impacts, review current building code standards and other applicable statutes, regulations, requirements, and guidelines regarding construction, and specifically the use and maintenance of non-flammable materials (both residential and commercial).
- VII-30 Update the City's development standards to be in conformance with title 14, CCR, division 1.5, chapter 7, subchapter 2, articles 1-5 (commencing with section 1270) (SRA Fire Safe Regulations) and title 14, CCR, division 1.5, chapter 7, subchapter 3, article 3 (commencing with section 1299.01) (Fire Hazard Reduction Around Buildings and Structures Regulations).
- VII-31 Discourage development and encourage sensitive siting of structures within hazardous fire areas as higher priorities than attempting to implement fuel modification techniques that would adversely affect significant biological resources.
- VII-32 In lieu of more highly combustible and non-native tree species, encourage the planting of native oaks in strategic locations and near existing oak woodlands to protect developments from wildfires, as well as to lessen fire risk associated with developments.
- VII-33 Coordinate with local organizations, such as Emergency Preparedness in Calabasas: A Fire Safe Council (EPIC), to pursue and allocate grant funding to support wildfire risk reduction activities.
- VII-34 Evaluate the City's capacity to adequately suppress wildfire, taking into account water supply availability, as part of the next Las Virgenes-Malibu Council of Governments Multi-Jurisdictional Hazard Mitigation Plan update.
- VII-35 Coordinate with the Las Virgenes Municipal Water District to support the provision of adequate water availability throughout the City and provision of adequate water storage to meet future peak fire demand, even during times of peak domestic demands. Promote the Las Virgenes-Triunfo JPA's proposed Pure Water Project in order to provide residents with a locally produced water source that can be relied on through disasters and hazard events.
- VII-36 Permit new development only within areas that have adequate water pressure or fire flows.



VII. SAFETY ELEMENT

VII.D Radon Gas

Objective

Minimize the potential for physical injury and potential loss of life resulting from radon gas exposure.

General Plan Approach


Radon is a cancer-causing natural radioactive gas that is invisible, odorless, and tasteless. Radon forms from the radioactive decay of small amounts of uranium naturally present in the rocks and soil. It can affect indoor air quality, particularly in mountainous areas. Radon gas from natural sources can accumulate in buildings and is a leading cause of non-smoking lung cancer deaths. The aim of the Safety Element is to minimize risks from radon exposure.

The California Geological Survey has developed a radon potential zone map for southern Los Angeles County. The map, shown on **Figure VII-84**, is based on the relative radon potentials of different geologic units provided by California Department of Conservation in 2016. Geologic unit radon potentials were evaluated using short-term indoor-radon measurement data, provided by the Department of Health Services (DHS) Radon Program and airborne radiometric data from the National Uranium Resource Evaluation Project conducted in the 1970s and early 1980s. The DHS indoor-radon data from Southern Los Angeles County range less than 0.3 picocuries per liter (pCi/L) to 159.6 pCi/L. The radon level at which the U.S. Environmental Protection Agency (EPA) recommends considering remedial actions for radon reduction in residences is 4.0 pCi/L. The City of Calabasas is reported to have a moderate potential for radon levels to exceed 4.0 pCi/L (Dept. of Conservation, California Geological Survey, 2005). California Building Code requires residential construction in areas affected by radon to comply with U.S. Environmental Protection Agency recommendations. Radon-resistant construction would include placing a polyethylene sheet in a sub-slab or sub-crawl space and placing a ventilation pipe from below the sheet to above the roof.



Figure VII-84 - UPDATED

2030 General Plan
Safety Element Update



Source: City of Calabasas, 2018, California Department of Conservation 2016, and Rincon Consultants, 2022. Updated February 2022. Basemap provided by ESRI and its licensors © 2022.

- Plan Area
- Calabasas City Limit
- Indoor Radon Potential**
- High Potential for Indoor Radon
Levels Above 4.0 Picocuries per Liter
- Moderate Potential for Indoor Radon
Levels Above 4.0 Picocuries per Liter
- Low Potential for Indoor Radon
Levels Above 4.0 Picocuries per Liter




Figure VII-8
Radon Hazard Zone

CITY of CALABASAS



VII. SAFETY ELEMENT

Policies

- VII-1837** Promote community education regarding potential hazards associated with radon exposure.
- VII-1938** Require radon testing for new development within areas with moderate or high potential for indoor radon levels exceeding U.S. EPA recommended limits.
- VII-2039** Where radon levels may exceed U.S. EPA recommended limits, implement effective measures – such as "sub-slab depressurization" systems – to limit exposure to radon.

VII.E Hazardous Materials

Objective

Protect life and property from potential short- and long-term adverse effects associated with the transportation, storage, treatment, and disposal of hazardous materials within Calabasas.

General Plan Approach

Calabasas is traversed by a major transportation artery: US Highway 101. Transportation of hazardous materials occurs along this route, thus potentially exposing people to potential catastrophic events. Hazardous chemicals or gases may be released accidentally at an industrial site or from trucks transporting hazardous materials. Such an event could require evacuation, and depending on the hazard and its severity, evacuation may be required for a few hours or several days. The release of hazardous materials requires an immediate response in order to protect human health and safety, and/or the environment. The Emergency Operations Section of the Los Angeles County Fire Department's Health Hazardous Materials Division (HHMD) provides 24-hour emergency response services to hazardous materials incidents occurring throughout Los Angeles County.

The Los Angeles County Hazardous Waste Management Plan, which the City has adopted, requires businesses that handle, store, or generate hazardous materials to obtain certain permits and prepare certain plans based on the amount of hazardous materials involved. The Inspection Section of the HHMD permits and inspects hazardous material handling and hazardous waste-generating businesses to ensure compliance with federal, ~~state~~state, and local laws and regulations.



VII. SAFETY ELEMENT

The City will continue to maintain permitting requirements that parallel County requirements for businesses within Calabasas that handle, store, or generate hazardous waste. Recognizing that the residential sector is a major producer of hazardous wastes, Calabasas has also implemented a household hazardous waste collection program so that household hazardous wastes are collected and disposed of in a safe manner. This program will continue to be implemented and will be expanded as appropriate to address the City's hazardous waste disposal needs.

Policies

- VII-4021** Manage activities within Calabasas involving the transport, use, storage or disposal of hazardous materials in a responsible manner that protects public health, safety, and the environment.
- VII-4122** Promote the availability of safe and legal options for the management of hazardous wastes generated by businesses and households within and adjacent Calabasas.
- VII-4223** Promote community education and understanding of sound management practices for the storage, handling, use, and disposal of hazardous materials.
- VII-43** Ensure the reliability of essential facilities such as the Las Virgenes Municipal Water District's water treatment and distribution facilities, the Las Virgenes Wastewater Treatment Plant, hospitals, and first-response buildings in the event of an emergency through promoting grid resiliency and energy independence. Work to implement on-site generation through solar photovoltaic systems and battery storage.
- VII-2444** Enforce the requirement that industrial facilities and construction sites have adequate Hazardous Materials Handling and Spill Response Plans to ensure that the goals of pollutant control are consistent with the City's public safety needs and the General Plan's water quality objectives.

VII.F Disaster Response

Objective

Maintain a system of emergency services and disaster response preparedness that will save lives, protect property, and facilitate recovery with a minimum of social disruption following both minor emergencies and major catastrophic events.



VII. SAFETY ELEMENT

General Plan Approach

The management of emergencies and disasters consists of three distinct phases: (1) mitigation of potential hazards and pre-event preparedness (including event forecasting, response planning, training and public education); (2) response during or soon after the event, most often by fire, police and medical-services personnel and trained volunteers (also includes public alerts and notification, evacuation, search and rescue, and critical, short-term assistance to victims); and (3) post-event recovery, which generally includes debris removal, re-establishment of public and private services, financial and other longer-term types of assistance to victims, reconstruction, and collection and analysis of data related to the event.

The City contracts its emergency services to the Los Angeles County Sheriff's Department. The Malibu/Lost Hills Station provides comprehensive Fire, Flood and Earthquake Evacuation Plans. The plans identify evacuation shelters, secondary evacuation shelters, command post sites, multi-purpose staging areas, and alternate traffic routes.

Mutual aid agreements with regional agencies will be maintained to ensure the City's ability to receive assistance when demands for emergency services are greater than the City's available resources. The City will also continue to utilize ~~the the~~ Emergency Management Information System (EMIS) Los Angeles County Operational Area Response & Recovery System (OARRS), a computer database system that provides detailed, real time information about emergencies from the County Emergency Operations Center.

The City will continue to maintain an up-to-date emergency response operations plan to detail Calabasas' planned response to emergency situations. Local disaster response will continue to be coordinated under the Calabasas Emergency Response Radio Program (CERP), a volunteer program made up of ~~home owner representatives, medical professionals, communications experts, and business representatives~~ trained amateur radio operators. Following a disaster, the CERP's role is to assess and communicate neighborhood conditions to the City's Emergency Operations Center. EPIC (Emergency Preparedness in Calabasas: A Fire Safe Council), is a non-profit organization helps Calabasas residents to mitigate risks, survive emergency events and recover from fires, earthquakes, and other natural disasters. EPIC provides information to Calabasas residents so they can be prepared for potential emergencies. ~~Following a disaster, the CERP's role is to assess and communicate neighborhood conditions to the City's Emergency Operations Center. The CERP medical disaster team also provides basic first aid services from medical cache (First aid storage cache units are) located throughout Calabasas (locations include Grape Arbor Park, Gates Canyon Park, De Anza Park,~~



VII. SAFETY ELEMENT

Calabasas Tennis and Swim Club, Calabasas High School and Bay Laurel Elementary School and Calabasas Hills Park).

Emergency Evacuation

The City has designated evacuation routes that are used to move residents out of an impacted area during a disaster or hazard event. Evacuation routes differ from disaster routes which are designated routes used to bring emergency personnel, equipment, and supplies into areas impacted by an emergency event. The following highways and roadways serve as the City's critical evacuation routes:

- Highway 101
- Mulholland Highway;
- Mulholland Drive;
- Old Topanga Canyon Road;
- Lost Hills Road;
- Las Virgenes Road;
- Agoura Road;
- Calabasas Road, and
- Parkway Calabasas;
- Mureau Road
- Thousand Oaks Boulevard

There are several emergency evacuation shelters located within Calabasas, including:

- Calabasas High School
- A.C. Stelle Middle School
- A.E. Wright Middle School
- ❖ ~~Agoura Hills High School~~
- Calabasas Civic Center

Some facilities and population groups may require special assistance and support in an emergency evacuation event. These may include:

- Silverado Calabasas Memory Care Community
- Calabasas Senior Center



VII. SAFETY ELEMENT

- Belmont Village Senior Living Calabasas
- Calabasas Village Mobile Estates
- Public and private schools
- Childcare facilities
- Older adults
- Households without vehicle access
- Visitors
- Transit users
- Populations with physical disabilities
- Non-English-speaking populations
- Day laborers, domestic workers, and caretakers


Isolated Calabasas Neighborhoods

Pursuant to Government Code Section 65302, Safety Elements must indicate or identify residential developments in hazard areas that do not have at least two emergency evacuation routes. There are currently 18 neighborhoods in the City that have been identified as having only a single access road. Figure VII-9 illustrates the 18 identified neighborhoods that have a singular point of entry and exit. In addition to these 18 neighborhoods, the City has several communities that do have secondary access points but that are restricted by gated entry (see again Figure VII-9). These neighborhoods pose additional logistical challenges when coordinating disaster response. Policies VII-57, VII-59, VII-63, and VII-64 include policies that seek to alleviate evacuation challenges associated with single access neighborhoods.



Figure VII-96 – NEW

2030 General Plan
Safety Element Update



- Plan Area
- Calabasas City Limit
- Single Entry and Exit Community
- Single Entry and Exit Point
- Potentially Singular Entry and Exit Point *

*Potentially Singular Entry and Exit Points are potentially singular due to reliance upon a neighboring community for additional points of access.




Figure VII-9
Single-Access Road Residential Neighborhoods

CITY of CALABASAS



VII. SAFETY ELEMENT

Emergency Evacuation Capacity

In keeping with Government Code Section 65302, the City conducted an emergency evacuation analysis to identify evacuation routes and their capacity, safety, and viability under a range of emergency scenarios. The City evaluated four different evacuation scenarios that included city-wide evacuations and larger-scale regional evacuations in the event of a wildfire. The City also evaluated a localized evacuation scenario associated with a potential earthquake and liquefaction event. Evacuation scenarios included different time windows, reliance on different evacuation routes, background commute traffic, and roadway capacity constrained by visibility issues such as smoke. During an actual emergency that necessitates evacuation, evacuation routes are selected based on conditions on the ground and the type of hazard event. In some cases, even the US 101 freeway, which functions as the main evacuation route in the region, may be unusable. The evacuation scenarios that were selected for analysis are described in detail in Appendix D. Policies VII-57, and VII-59 through VII-86 seek to alleviate evacuation constraints based on the results of the evacuation routes analysis.

Policies

- VII-45 Engage in regular communication with local, regional, and state partners, including EPIC (Emergency Preparedness in Calabasas), CERP, Los Angeles County Office of Emergency Management, LACFD, Los Angeles County Sheriff Department, and the school district on emergency preparedness, response, and recovery; ensure alignment with ongoing planning efforts by these entities, provide a clear understanding of roles and responsibilities, and maintain consistent communication with the general public.
- VII-46 Provide bilingual (English and Spanish) public health, emergency preparedness, and evacuation information and signage to citizens through libraries, the City website, radio, schools, and social media platforms.
- VII-47 Develop and distribute educational materials to residents and businesses on evacuation planning and routes and the standards and requirements for vegetation clearance and maintenance of defensible space. Focus outreach on vulnerable populations, such as senior, young children, and individuals with physical disabilities.
- VII-48 Engage residents to better prepare for wildfire mitigation and protection. Empower EPIC to serve as one of the City's Fire Safe Councils and offer defensible space and home hardening training and assessments.



VII. SAFETY ELEMENT

- VII-49 Provide Community Emergency Response Training (CERT) to increase community disaster preparedness at the neighborhood level.
- VI-50 Increase access to essential resources and facilitate effective communication in the community to accelerate recovery following a disaster.
- VII-51 Coordinate with the County of Los Angeles Office of Emergency Management to maintain up-to-date local relevant data on shelter facilities, vulnerable populations, and other critical information as part of emergency evacuation planning and community outreach efforts. Findings from the evacuation scenarios analysis in Appendix D should inform coordination efforts.
- VII-52 Update and regularly maintain the City of Calabasas' Emergency Operations Plan (EOP) to include an assessment of current emergency service and projected emergency service needs specific to the City of Calabasas. The EOP should be prepared in consultation with the Los Angeles County Fire Department, and Sheriff Department, and the school district and align with the Los Angeles County Operational Area Emergency Response Plan.
- VII-53 Staff performing emergency preparedness and response duties will be trained as necessary to fulfill their obligations; such training to include (but not be limited to): damage assessment protocols, EOC operations, SEMS, and Incident Command System protocols and operations.
- VII-54 Enhance Calabasas Emergency Radio Program's (CERP) participation with volunteers and agencies and incorporate emergency preparedness procedures on a continuing basis.
- VII-55 Regularly evaluate the availability and anticipated demand for community facilities to serve as evacuation centers or designated cooling or smoke relief center during emergencies. Designate such facilities and regularly maintain them to comply with industry standards. Establish solar photovoltaic systems and battery storage for evacuation centers and other critical facilities in the event of power outages.
- VII-56 Ensure that the LACFD has complete access to all locations in the City, including gated communities and critical infrastructure.
- VII-57 Require that all homes and businesses have visible street addressing and signage.
- VII-58 Establish and maintain a Disaster Recovery Plan that includes critical needs, such as debris removal and evaluation of post-disaster re-development options.



VII. SAFETY ELEMENT

- VII-59 Maintain and update an Evacuation Plan, in conjunction with the Office of Emergency Management, every 8 years at a minimum to account for all types of emergencies.
- a. Develop and employ evacuation alternatives and/or alternative emergency access routes in neighborhoods that have single ingress/egress.
 - b. Develop and maintain evacuation options for vulnerable populations, including residents with mobility challenges.
 - c. Designate and publicize evacuation routes; include existing pedestrian pathways.
 - d. Designate safety zones or shelter-in-place locations as potential places of refuge when evacuation routes become blocked.
- VII-60 Require new development to provide adequate access (ingress, egress) and a minimum of two roadways with widths and lengths in compliance with California Building Code Chapter 7A requirements.
- VII-61 Conduct regular evacuation trainings with single-access community HOAs and residents; encourage residents in single-access communities to maintain emergency supplies for at least 3 – 10 days.
- VII-62 Partner with EPIC and CERP to explore funding opportunities to support distribution of hand-cranked or battery-powered radios to residents in Calabasas.
- VII-63 Improve coordination between frontline emergency personnel, CERP, EPIC, and media sources, and the school district to ensure accurate and clear information is being disseminated.
- VII-64 Maintain emergency roadways and improve them as necessary and appropriate to ensure ongoing serviceability.
- VII-65 Proactively engage with residential neighborhoods with single points of entry and exit to encourage home retrofits to meet current standards on structure hardening, proactively enforce defensible space standards, and conduct emergency preparedness trainings.
- VII-66 Future roadway design, especially in areas that have less accessibility and on key evacuation routes, should consider evacuation capacity and consider design treatments such as painted medians (instead of raised medians) or other treatments that could assist in creating reversible lanes and facilitate additional capacity in an evacuation event scenario.



VII. SAFETY ELEMENT

- VII-67 Evacuation event signal timing should be periodically reviewed and updated to provide additional evacuation capacity. Incorporate Caltrans in the City's emergency operations center protocol to develop emergency evacuation signal timing for freeway on and off-ramps.
- VII-68 Continue coordinating with nearby jurisdictions, the Las Virgenes-Malibu Council of Governments (LVMCOG) and Los Angeles County Office of Emergency Management on developing strategies to address freeway congestion on the US-101 freeway which functions as the main evacuation route in the region.
- VII-69 Consider the needs of vulnerable populations in the city, such as senior housing facilities and schools, and others without access to a personal vehicle in City evacuation plans.
- VII-70 Encourage residents to evacuate in a timely manner to reduce last-minute evacuations and concentrated demand on the roadway network. Coordinate with the school district to build awareness regarding school evacuation protocols which include sheltering in place or evacuating off-site using school buses.
- VII-71 Issue mandatory evacuation orders and release evacuees by pre-designated zones to manage roadway congestion. Anticipate school district evacuation needs as part of evacuation orders.
- VII-72 Issue mandatory evacuation orders based on characteristics of the hazard, such as fire spread characteristics.
- VII-73 Encourage residents to take only one or two vehicles (based on household size) to reduce the number of evacuating vehicles. Offer offsite parking facilities to safely store secondary vehicles in advance of an emergency event.
- VII-74 Close routes upstream from the hazardous area to decrease demand on key evacuation routes.
- VII-75 Coordinate with Caltrans to manage freeway lanes restricting vehicles already on the freeway to travel on the inner lanes and reserving the outer lanes for vehicles entering the freeway.
- VII-76 Future roadway design, especially in areas that have less accessibility and on critical evacuation routes, should consider evacuation capacity and design treatments that could assist in creating reversible lanes (contraflow) and facilitate additional capacity in an evacuation such as painted medians (instead of raised medians) or other treatments.
- VII-77 Set traffic signals to prioritize certain traffic movements to increase flow through the intersection or prioritize evacuating vehicles



VII. SAFETY ELEMENT

- VII-78** Use high-capacity public transit vehicles to reduce the use of single occupancy vehicles and increase the number of evacuees.
- VII-79** Restrict parking periodically (e.g., on red flag days) along critical evacuation routes.
- VII-80** Provide evacuees with guidance on safe and efficient routes along with dynamic rerouting information to decrease travel times and reduce congestion on highly traveled roads (for example, GPS-routing systems)
- VII-81** Monitor traffic using intelligent transportation system (ITS) technology to identify accidents and problem areas, determine the effectiveness of responses, and change responses as needed.
- VII-82** Establish a redundant and resilient communications system to ensure uninterrupted emergency operations and communications such as through solar photovoltaic systems and battery storage, phone/text alerts, radio, sirens/loudspeaker, and signage.
- VII-83** Increase defensible space and vegetation maintenance and clearing associated with critical evacuation roadways.
- VII-84** Coordinate with Southern California Edison to accomplish replacements of wooden poles with fire-resistant steel poles, and to enhance preventative maintenance activities along critical evacuation roadways with Southern California Edison.
- VII-85** Coordinate with Southern California Edison to implement an aggressive electrical undergrounding plan with a focus on critical evacuation roadways.
- VII-86** Engage with SCAG, Caltrans, California Highway Patrol, adjacent cities, Los Angeles County to identify regional evacuation solutions to address constraints on the Highway 101 system.

VII.G Climate Change & Vulnerable Populations

Objective

Prepare for climate change impacts associated with increases in temperatures, more severe storms, increases in extreme heat events, changes in precipitation patterns, extended drought conditions, and increasing wildfire risk by increasing the resilience of the Calabasas community and infrastructure systems.



VII. SAFETY ELEMENT

General Plan Approach

Climate change adaptation and resilience strategies must be included in the City's General Plan via its Safety Element in accordance with California Government Code § 65302(g) (as updated by SB 379). The review and update must consist of the following components:

1. A vulnerability assessment that identifies the risks climate change poses to the local jurisdiction and the geographic areas at risk from climate change.
2. Set of adaptation and resilience goals, policies, and objectives based on the information specified in the vulnerability assessment.
3. Set of feasible implementation measures designed to carry out the goals, policies, and objectives identified in the adaptation objectives.

The Intergovernmental Panel on Climate Change (IPCC) provides several GHG emissions scenarios used to describe possible future GHG emissions and associated changes to global climate patterns. The State recommends two 'Representative Concentration Pathways (RCPs) to assess the City's potential vulnerability to climate change. RCP 4.5 represents a "mitigation" scenario in which global emissions peak around 2040 and then decline at the end of the century. This scenario assumes global agreement and implementation of GHG reduction strategies. RCP 8.5 represents a "business as usual" scenario in which emissions continue to rise throughout the 21st century.

The State provides the Cal-Adapt tool to local jurisdictions for climate adaptation and resilience planning. Cal-Adapt is a web-based platform that provides climate change projections and climate impact research that are downscaled to the local level for different RCP scenarios. The projections are based on the extensive body of climate research described in California's Fourth Climate Change Assessment. The Safety Element includes climate change projections for the RCP 4.5 and RCP 8.5 scenarios taken from Cal-Adapt for Temperature, Precipitation, and Wildfire relative to the health and safety of Calabasas residents. These climate change projections provide an understanding of possible future climate change impacts and help prioritize policies to increase community resilience to climate change.

Temperature

Observations over the past century indicate that temperature has increased across the Southern California region. Based on historical temperature records (1896-2015) from the California South Coast NOAA Climate Division, which encompasses the Los Angeles



VII. SAFETY ELEMENT

region, significant trends were identified in annual average, maximum, and minimum temperatures.¹

Warming is expected to increase across the Los Angeles region in the coming decades. Under RCP 4.5, future model-average temperature values are projected to increase by 2.3°F by the early-21st century, 4.2°F by the mid-21st century, and 5.2°F by the late-21st century compared to the modeled historical annual average maximum temperature of 72.5°F. Furthermore, the intensity and frequency of extreme heat days are also projected to increase over the Los Angeles region. Under RCP 4.5, the average hottest day of the year is expected to increase by 4-7°F.

Average maximum and minimum temperatures are expected to increase in the City. Compared to 2005, average maximum temperatures in Calabasas are expected to rise between 5.1° Fahrenheit (F) (RCP 4.5) and 8.1°F (RCP 8.5) by the end of the century.² Average minimum temperatures in Calabasas are expected to rise similarly, between 4.7°F (RCP 4.5) and 7.8°F (RCP 8.5) by the end of the century. According to The Our Climate Crisis: A Guide for SoCal Communities in the Wildland Urban Interface prepared by the Malibu Foundation, the cities of Calabasas, Agoura Hills, and Hidden Hills, will face the highest temperature increases in the Santa Monica Mountains region.³

The number of extreme heat days per year is also expected to increase. In Calabasas, an extreme heat day is when the maximum temperature exceeds 97.5°F. Historically, the region experiences four extreme heat days per year on average. By the end of the century, extreme heat days are expected to increase by 16 days per year under RCP 4.5 and approximately 33 days per year under RCP 8.5.

Changes in temperature are in **Figures VII-10** and **VII-11**. In both figures, the purple lines show high emissions scenario (RCP 8.5), the blue lines show the medium emissions scenario (RCP 4.5), the grey lines show the current trend (observed), and the gold lines shows the modeled historical data. The shaded areas indicate the range for the emissions scenario. For example, the blue shaded areas represent the range of data for the medium emissions scenario (RCP 4.5).

¹ https://www.energy.ca.gov/sites/default/files/2019-11/Reg%20Report-%20SUM-CCCA4-2018-007%20LosAngeles_ADA.pdf

² <https://cal-adapt.org/tools/local-climate-change-snapshot/>

³ <https://www.themalibufoundation.org/resilience-report>



VII. SAFETY ELEMENT

Figure VII-10

Annual Average Maximum Temperature

Average of all the hottest daily temperatures in a year.





Figure VII-11

Extreme Heat Days

Number of days in a year when daily maximum temperature is above a threshold temperature of **97.5°F**

Note: Threshold temperature used in this tool is location specific. It is defined as the 98th percentile value of historical daily maximum/minimum temperatures (from 1961–1990, between April and October) observed at a location.



VII. SAFETY ELEMENT

Precipitation

Precipitation over the Los Angeles region is highly variable from year to year. Typically, about five storms each year generate approximately 50% of total precipitation.⁴ Model projections are inconsistent, but in general, small changes in average annual precipitation are expected relative to the region's historic variability. However, dry and wet extremes are both expected to increase in the future thus increasing the potential for higher variability in precipitation. By the late-21st century, the wettest day of the year is expected to increase across most of the Los Angeles region, with some locations experiencing 25-30% increases under RCP 8.5. Extremely dry years are also projected to increase, potentially a doubling or more in frequency by the end of the 21st century.⁵

In the City, the modeled historical annual precipitation is a 30-year average of approximately 19.5 inches.⁶ Mid-century projections predict annual precipitation to decrease between 0.3 (RCP8.5) and 0.4 inches (RCP4.5). However, by the end of the century, annual precipitation is expected to increase above the current 30-year average of 19.5 inches by 0.1 inches (RCP4.5) due to more extreme storms and precipitation events.

Changes in precipitation are in **Figure VII-12**. The purple line shows high emissions scenario (RCP 8.5), the blue line shows the medium emissions scenario (RCP 4.5), the grey line shows the current trend (observed), and the gold line shows the modeled historical data. The shaded areas indicate the range for the emissions scenario. For example, the blue shaded areas represent the range of data for the medium emissions scenario (RCP 4.5). Overall, the projections show no clear or consistent trends during the next century. However, even small changes in precipitation can lead to significant effects on the water supply. Projections for the Los Angeles region predict an intensification of precipitation, as well as an increase in the annual number of dry days and a decrease in the number of wet days. Fewer, but more severe rainfall events are projected, which may result in intense runoff during storm events.

⁴ https://www.energy.ca.gov/sites/default/files/2019-11/Reg%20Report-%20SUM-CCCA4-2018-007%20LosAngeles_ADA.pdf

⁵ Los Angeles Summary Report, California's Fourth Climate Change Assessment. https://www.energy.ca.gov/sites/default/files/2019-11/Reg%20Report-%20SUM-CCCA4-2018-007%20LosAngeles_ADA.pdf.

⁶ <https://cal-adapt.org/tools/local-climate-change-snapshot/>




VII. SAFETY ELEMENT

Figure VII-12

Annual Precipitation

Total precipitation projected for a year



Intense Precipitation Events

A warming climate is likely to influence the frequency and intensity of precipitation events and may cause more frequent flooding and trigger landslides Calabasas. There is a FEMA designated flood zone along Las Virgenes Creek located in the western portion of Calabasas (see Figure VII-3). This creek as well as other streams in Calabasas could experience more frequent flooding because of climate change. FEMA flood zone designations are identified based on historical data and do not account for future climate projections. Therefore, future risk associated with floods may not be accurately depicted on Figure VII-3.

Flooding may also occur when the amount of water generated from rainfall and runoff exceeds the City's storm water system's capability to remove it. During periods of urban flooding, streets can become swift moving rivers, buildings can be flooded, and storm drains can back up with vegetative debris causing additional, localized flooding.

During years of intense levels of precipitation and storms, the city could also see an increase in the number of landslides or make landslides greater than usual. Figure VII-2



VII. SAFETY ELEMENT

identifies areas in the city that are at-risk of landslides. Due to the topography within Calabasas, as well as other factors, the vast majority of Calabasas carries landslide risks.

Drought

Droughts occur when there is a period of unusually persistent dry weather with below-average rainfall. Drought severity depends upon the degree of moisture deficiency, the duration, and the size of the affected area. Climate change is projected to increase the probability that low precipitation years will coincide with above-average temperature years. This increases the likelihood of drought due to decreased supply of moisture and increased atmospheric demand for moisture as evaporation from bare soils and evapotranspiration from plants increase. Global climate models project a 25% to 100% increase in extreme dry-to-wet precipitation events throughout the state by the end of the century (Swain, 2018). However, the specifics of projected drought conditions, such as their magnitude and duration, are not currently available for California or Calabasas. These periods of drought would negatively impact vegetation throughout the Santa Monica Mountains, as well as within Calabasas, including City parks, open spaces, and street trees, reducing localized carbon sequestration as well as limiting areas for shading and cooling (Remote Sensing of Environment, 2020). According to The Our Climate Crisis: A Guide for SoCal Communities in the Wildland Urban Interface prepared by Malibu Foundation, prolonged droughts and deteriorating forest health (over 123,000 trees in the Santa Monica Mountains died between 2015 and 2017) will make the Santa Monica Mountains region more susceptible to wildfires.⁷

In addition to evidence of increased drought severity, there is evidence for occasional wet years. Because precipitation is projected to be variable, some years will be less drought prone than others due to more frequent and stronger storms. Even if there is greater precipitation, the projected increase in evaporative demand from higher temperatures implies that more water could be lost to the atmosphere and increase the possibility of drought. Water shortages and price hikes resulting from droughts could affect access to safe, affordable water. Additionally, when the Sierra Nevada Mountain range does not receive adequate snowfall during the winter, much of the state will feel the impact the following summer and fall and drought severity can increase.

Wildfire

In the Southern California region wildfire risk is influenced by a multitude of compounding factors that include its dry and warm Mediterranean climate, periodic episodes of offshore Santa Ana winds, drought events, the type and spatial distribution

⁷ <https://www.themalibufoundation.org/resilience-report>



VII. SAFETY ELEMENT

of vegetation, varying topography, large urban-wildland interfaces, past fire suppression attempts, and human activities.⁸ Regionally, approximately 80% of wildfire events occur during the summer and fall, with a quarter of annual wildfires occurring during Santa Ana wind events. Future projections using statistical models indicate that Southern California may experience a larger number of wildfires and burned area by the mid-21st century under RCP 8.5. Overall burned area is projected to increase over 60% for Santa Ana-based fires and over 75% for non-Santa Ana fires.

All parts of the City of Calabasas are mapped as within the CAL FIRE-designated Very High Fire Hazard Severity Zone (see **Figure VII-4**). This designation also applies to vast swaths of the Santa Monica Mountain region. According to The Our Climate Crisis: A Guide for SoCal Communities in the Wildland Urban Interface and the Los Angeles County Climate Vulnerability Assessment, wildfires are anticipated to increase in number and size in the region⁹.

In the City, the baseline 30-year average (1961-1990) of acres burned ranges between 52.7 acres and 53.2 acres depending on the emissions scenario.¹⁰ Although this is the historical modeled 30-year average, many factors affect projected future occurrence of wildfire because of climate change. There are significant uncertainties associated with the influence of climate change on the future occurrence of wildfire in the City. However, by both the mid-century and the end of century, the 30-year average acres burned is expected to slightly increase under an intermediate emissions scenario (RCP4.5) but decrease under a high emissions scenario (RCP8.5). **Figure VII-13** below shows wildfire scenario projections use a statistical model based on historical data of climate, vegetation, population density, and fire history between 1953 and 2099.

⁸ https://www.energy.ca.gov/sites/default/files/2019-11/Req%20Report-%20SUM-CCCA4-2018-007%20LosAngeles_ADA.pdf

⁹ <https://www.themalibufoundation.org/resilience-report> and <https://ceo.lacounty.gov/cso-actions/>

¹⁰ <https://cal-adapt.org/tools/local-climate-change-snapshot/>




VII. SAFETY ELEMENT

Figure VII-13

Annual Average Area Burned

Average of the area projected to be at risk to burning in a year.



Vegetation loss due to more frequent wildfires increases the likelihood of landslides due to the lack of root networks holding the soil together. Landslides that occur after a wildfire are called post-wildfire debris flows. The Our Climate Crisis: A Guide for SoCal Communities in the Wildland Urban Interface prepared by Malibu Foundation identified several areas within Calabasas that were at an elevated risk for post-wildfire debris flows after the Woolsey Fire of 2018. ¹¹

In addition to increased landslide risk, wildfires can decrease air quality, releasing vast amounts of smoke which includes toxic pollutants. Wildfire smoke is comprised of air pollutants including particulate matter, known to be a public health risk (CDC, 2013). According to the Los Angeles County Climate Vulnerability Assessment, by mid-century, the total number of smoke waves, average intensity, and length of season are projected to increase significantly. ¹²

¹¹ <https://www.themalibufoundation.org/resilience-report>

¹² <https://ceo.lacounty.gov/cso-actions/>



VII. SAFETY ELEMENT

Vulnerability

Communities will be affected by climate change to varying degrees depending on their sensitivity to its impacts. Social vulnerabilities can inhibit the adaptive capacity of a community. On a larger scale, communities may be more vulnerable because of limited access to financial capital and resources, various institutional barriers, social network limitations, and compromised access to critical infrastructure. Adaptive capacity is largely influenced by governance, management, and institutions, thus making it imperative that adaptive capacity is addressed through effective policy implementation. On a more local level, the sensitivity of a community depends more on the specific makeup of the community (i.e., specific populations and assets).

The impacts of climate change that Calabasas may experience include increases in average maximum and minimum temperatures, more severe storms, increases in extreme heat events, changes in precipitation patterns, extended drought conditions, and increasing wildfire risk.

Certain population groups may be disproportionately harmed by the impacts of climate change in Calabasas. The California Healthy Places Index tool identifies vulnerable populations by census tract. Vulnerable populations identified in Calabasas include but are not limited to; unemployed, seniors, young children, outdoor workers, low-income households, mobile home residents, and individuals with physical disabilities.

The City's residents and workers rely on infrastructure for mobility, water, power, and communications. These systems are vulnerable to climate change, which in turn can reduce the ability of people to adapt. Health risks may arise or be exacerbated because of damaged infrastructure, such as from the loss of access to electricity, or impacts to sanitation, safe food, water supplies, health care, communication, and transportation. To help reduce negative impacts on vulnerable populations and increase adaptive capacity, strategies and policies must be identified regarding vulnerable infrastructure, ensuring a high standard of condition and performance on infrastructure systems, and overall disaster preparedness.

External factors present in the Calabasas community that also contribute to climate change vulnerability include high housing cost burden and exposure to poor air quality and other environmental conditions. –Because climate change impacts are closely intertwined with vulnerable populations and inequities, climate adaptation planning presents a unique opportunity to address some of the external factors that contribute to climate change vulnerability, which are also root causes of inequity. Addressing these underlying causes can help increase resilience for all citizens of Calabasas.



VII. SAFETY ELEMENT

Policies

- VII-87 Consider shading and usability of resources on hot days when designing inland trails, parks, and freshwater recreation areas and when acquiring new land for recreation.
- VII-88 Promote and expand the use of drought-tolerant green infrastructure, including street trees, and landscaped areas, as part of cooling strategies in public and private spaces. Promote the addition of shade structures in public spaces.
- VII-89 Coordinate with Los Angeles County Department of Public Health to identify and map cooling centers in locations accessible to vulnerable populations and establish standardized temperature triggers for when they will be opened.
- VII-90 Support prioritization of shading, drinking water, and permeable paving on multi-use transportation corridors.
- VII-91 Partner with Southern California Edison to promote alternatives to air conditioning such as ceiling fans, air exchangers, increased insulation, and low-solar-gain exterior materials to reduce peak electrical demands during extreme heat events to ensure reliability of the electrical grid.
- VII-92 Work cooperatively with utilities to harden vulnerable overhead power lines against winds.
- VII-93 Mitigate landslide risks in the hills by improving drainage, reconstructing retaining walls, installing netting and vegetation, avoiding clear cutting, and stabilizing the soil after tree clearing, such as with compost and mulch.
- VII-94 Establish a regular inspection and maintenance cycle for existing physical landslide defenses, including inspections prior to heavy rain events and post-wildfire events.
- VII-95 Incorporate climate change projections in future conservation plans and land use plans, including research and monitoring plans.
- VII-96 Incorporate consideration of climate change impacts as part of infrastructure planning and operation. Identify projects as part of capital improvement programs that should consider climate adaptation priorities.
- VII-97 Use available data and studies to simulate how expanded wildfire, flooding, and landslide impacts might affect the transportation system; In particular, study changes along designated evacuation routes associated with more frequent and severe wildfire, flood, and landslide events.



VII. SAFETY ELEMENT

- VII-98** Explore the feasibility of installing self-sufficient energy systems, such as microgrids, at critical health care facilities and other critical emergency service facilities to minimize service disruptions during power outages triggered by a climate event.
- VII-99** Restore degraded ecosystems to enhance the natural adaptive capacity of biological communities that are vulnerable to the effects of climate change.
- VII-100** Weatherize homes using a holistic "healthy homes" model that addresses severe weather protection, energy efficiency, indoor air improvements, and other housing improvements.
- VII-101** Identify a targeted and sustained funding sources to improve access to solar with battery backup to blackout-proof the homes of vulnerable populations.
- VII-102** Partner with the Los Angeles County Health Department to develop and enhance disaster and emergency early warning systems to incorporate objective data and information for potential health threats such as heat-illness, and illnesses complicated by low air quality due to climate change hazards.
- VII-103** Use federal, state, and regional resources, as they become available, to address localized exposure to elevated air pollutant levels (such as along U.S. 101).
- VII-104** Provide incentives to promote air pollution reduction, including incentives for developers who go beyond applicable requirements and mitigate pollution for facilities and operations that are not otherwise regulated.
- VII-105** Minimize risk of disease spread and economic disruption due to infectious diseases by coordinating with the Los Angeles County Department of Public Health to provide testing and contact tracing resources and promoting public safety protocols, maintaining up-to-date health services on the City's website, and partnering with local non-governmental organizations and community groups to provide economic support services.



VII. SAFETY ELEMENT

This page intentionally left blank.

