
BOX TOP/LID (LAYED FLAT)




BOX SIDES/BOTTOM (LAYED FLAT)

BEST
PRACTICE FOR
RECYCLING
BATTERIES.
Place non-conductive tape (e.g., electrica over the battery is terminals or around the battery liquid leaks where the state of the stat Place non-conductive tape (e.g., electrical tape) over the battery's terminals or around the entire button. Often the battery liquid leaks when not



Ell fubble and David Oxocato ware in middle School at C. Selle when My strated. A student and David oxocato ware in middle School at C. Selle when My strated. A student behaves providing Unoparty (ASBRC), Together, fince the inception of ASBRC, they have collected over 1 ton of batteries. The City of Stabassas.





BOX DIMENSIONS 8.5" (L) X 6" (W) X 3" (D)

BOX TOP/LID (LAYED FLAT)



BOX SIDES/BOTTOM (LAYED FLAT)

TOGETHER WE CAN MAKE A Proper battery disposal and encourages all our residents to have a Calabasas Battery Box. Use it to collect dead to have a Calabassa Statery acts. Oscillations of the Calabassa Cliptury, Calabassa City Hall, Calabassa Tennis and Swim Center, Calabassa Senior Center.



A : batreix yafit nariw əlləsi? . DA is loon52 ələblim ni ərəw neiszənO ləined bne lədufi il B neggəd , arlambır isool owi əsərli, şariyengo il (1985-84) iyenqino Q piliyyədi yarilət əlinedi. 2018-2019 DARSA bo norlqəni arilə asınıs ərmes ərit bot at tanabtesı grillionnə bne sənərlət grilliyyən ləined bne ili şasinqoəva rəsedlərib O yil 3 ərit alərətirdə lə not 1 təvo bətəlilə o əveri yəril sərətiləti. Sariyə alan ələrətilə ələrətilə ələrətilə ələrətilə ələrətilə ələrətilə ələrətilə ələrətilə ələrəti

STANDARD LID BOX





BOX DIMENSIONS 8.5" (L) X 6" (W) X 3" (D)




BOX DIMENSIONS 8.5" (L) X 6" (W) X 3" (D)



BOX TOP








FRONT PANEL OPTION







STANDARD LID BOX





BOX TOP PERFORATED HOLE

